REMUS LCT

SUPER MATTE SERIES 超吸哑光系列

将现代风格的一切线条、色彩、造型等要素提炼融入应用到门扇工艺中。
从创造空间的人生这要求与审美趋势的要求。

Some lines of modern style, color, shape and other decorative elements to craft the language into the present in line with modern living requirements to create interesting and aesthetic room



Frameless Frame Design

新型隐框设计

采用新型拉铝铝合金材料，型材厚度达到2.0mm，表面工艺采取技术喷涂。

Adopt new type pull aluminum alloy material, profile thickness of 2.0mm, surface treatment technology and skilled

Top Hung Lower Hidden Gun

新型隐轨中槽

采用四轮设计的顶槽悬挂设计，使整个产品更简约，更时尚，视觉效果更强烈。

Adopt four wheel design of top hung frame design, so that the whole product look simple, more stylish, more beautiful visual effects.

Unique Design Of Jointing

隐形拉手

采用四拼结合全铝工艺线，造型时尚简约，手感舒适，表现长期工艺精湛。

Adopt four jointing design, processing, simple and stylish, comfortable, surface treatment technology skills

Exterior Features

超细哑光板

采用进口PET材料，重量轻，清洁性，抗气性佳，不褪不冲，耐摩擦，耐腐蚀，达到了高级别。

Adopt imported PET material, lightweight, cleanability, anti-gas properties and fade, wear-resistant, corrosion-resistant, reached the local level.

L-Y001

产品名称：波纹板	Name：Plate
门扇厚度：36/32	Thickness：36/32
铝框类型：A型侧拉槽	Aluminum frame：A type sandblast back
铝盖厚度：0.9mm	Thickness：0.9mm
拉手形状：R-5X	Handle：R-5X
侧轨型号：3G36	Model：3G36
门芯工艺：平面圆边	Technology：Plane Straight Edge
门芯厚度：18mm	Thickness：18mm

REMUS LCT

SUPER MATTE SERIES 超级哑光系列

冰冰雕塑的的温暖，感受春色明媚的瞬间，在沉静中绽放，在纯粹中留下明媚的瞬间——

The warmth of the sun, feeling the fresh colours in the landscape before the trip, left in time traces of glory ……



新型铝框设计

Aluminum Frame

采用新型铝薄铝合金材料，型材厚度达到 2.0mm，表面工艺处理技术精湛。

Adopt the new type of aluminum alloy material, profile thickness of 2.0mm, surface treatment technology and refined.

隐形拉手

Concealed Handle

采用拉槽隐合金加工方式，造型时尚简约，手感舒适，表面处理工艺精湛。

Adopt the groove hidden alloy processing, simple and stylish, comfortable, surface treatment technology refine.

Exterior Features

超级哑光面

采用进口布可卡纸，表面坚实，柔滑细腻，超气色质感，质感浓郁，耐摩擦，耐腐蚀，达到了奢侈效果。

Imported cocoa paper, surface solid, smooth and delicate, texture properties and taste, rich texture and fastness, abrasion, corrosion, reached the luxury effect.

L-Y002

产品名称：衣柜	Name：Wardrobe
门芯颜色：3031+3036	Colors：3031+3036
铝框颜色：白色哑粉喷涂	Aluminum Frame：White powder sprayed
铝框厚度：90mm	Thick：90mm
拉手型号：R-08	Handle：R-08
玻璃型号：3031	Glass：3031
门芯工艺：平板喷涂	Technology：Plane Sprayed Edge
门芯厚度：18mm	Thickness：18mm

REMUS LCT

SUPER MATTE SERIES 超级哑光系列

工艺精湛注重细腻万缘柔情温馨写意，明媚北欧的平淡中享生活的悠然韵味。

Interest Work: exquisite tenderness warm and enjoyable focus, obsolete Spirit, one to show the elegant charm of living space.



Structural frame design

新型铝框设计

采用新型铝镁铝合金材料，型材厚度达到 2.0mm，表面工艺处理技术解决。

Using new Titanium magnesium alloy material, profile thickness of 2.0mm, surface treatment technology and skillful.

Invisible handle shipping

隐形扣手

采用铝镁铝合金加工而成，造型时尚简约，手感舒适，表面处理工艺精湛。

Titanium magnesium alloy processing, simple and stylish, comfortable, surface treatment technology skills.

Exterior Features

超级哑光密

采用进口 PETG 材质，重量轻，透明性，阻气性佳，无毒无味，耐腐蚀，耐磨损，达到了食品级品。

Imported PETG material, light weight, transparency, gas barrier properties and taste, non-toxic and tasteless, abrasion, corrosion, reached the food level.

L-Y003

产品名称：雷姆思系列	Name：Model
门芯颜色：3030+3037	Colors：3030+3037
铝框类型：A型铝材黑	Aluminum frame：A type anodized black
轨道宽度：50mm	Track：50mm
拉手型号：R-08	Handle：R-08
脚线型号：3032	Foot：3032
门芯工艺：平面圆边	Technology：Plane Straight Edge
门芯厚度：18mm	Thickness：18mm

REMUS LCT

SUPER MATTE SERIES 超级哑光系列

L-Y005

产品名称：曼斯哑芯	Name：Remus
门芯颜色：3030	Colors：3030
铝材类型：A型铝材槽	Aluminum frame：A-type aluminum frame
轨道宽度：90mm	Track：90mm
拉手型号：R-08	Handle：R-08
槽线型号：3032+3031	Wiper：3032+3031
门芯工艺：平面直边	Technology：Plane Straight Edge
门芯厚度：19mm	Thickness：19mm

Comprehensive frame design

新型隐框设计

采用新型铝材结合金材料，型材厚度达到 2.0mm，表面工艺经增强术精湛。
简单的造型，使整个产品外观更时尚，更美观。
新型的设计理念，更加突出整个产品的设计感。

Using new titanium magnesium alloy material, profile thickness of 2.0mm, surface treatment technology and skilled.
Simple shape, so that the whole product look more stylish, more beautiful.
The new design concept, design is more prominent sense of the entire product.

Hidden frame Spot prices

隐框光企

Cover hidden box

隐框中镶

Hidden frame up and down the rail

隐框上下轨

REMUS LCT

SUPER MATTE SERIES 超级哑光系列

简洁的设计，独特的风格给您带来二倍大的想象空间
除自然看清您的追求与奋斗的像清晰之间隐藏的那海蓝天中。

Concise design, unique style to the brought with great imagination space faint appearing and pure and fresh feeling and romantic temperament like a phenomenon in water descending in scale than sky.



The aluminum alloy frame design

新型隐框设计

采用新型铝镁锰合金材料，型材厚度达到2.0mm，表面工艺处理技术精湛。
Using new aluminum alloy material, profile thickness of 2.0mm, surface treatment technology and skilled.

The two colors matching

新型隐框中框

采用市场主流的拉槽框设计，使整个产品更简约，更时尚，视觉效果更美观。
Using tropical market for popular frame design, so that the whole product more simple, more stylish, more beautiful visual effects.

Invisible handle designing

隐形把手

采用铝镁锰合金加工而成，造型时尚简约，手感舒适，表面处理工艺精湛。
Using magnesium manganese alloy processing, simple and stylish, comfortable, surface treatment technology skills.

Exterior Finishes

超级哑光板

采用进口PETG材质，重量轻，透明性，耐气性强性，无毒无味，耐潮湿，耐腐蚀，达到了食品级品。
Imported PETG material, light weight, transparency, gas barrier properties and taste, non-toxic and tasteless, abrasion, corrosion, reached the food level.

L-Y006

产品名称：米纳萨分	Name：Minsa
门芯颜色：3033+3036	Colors：3033+3036
铝框类型：A型铝铝窗	Aluminum frame：A-type anodized Sash
铝条宽度：50mm	Tape：50mm
拉手型号：R-08	Handle：R-08
玻璃型号：3033	Glass：3033
门芯工艺：平面圆边	Technology：Plane Straight Edge
门芯厚度：19mm	Thickness：19mm

REMUS LCT

SUPER MATTE SERIES 超级哑光系列

细腻精致的表面处理技术，自然流畅的图案线条再现原子对生活的深刻认识和对专业的执着追求。

Delicate delicate surface treatment processing, natural reproduction of smooth lines and patterns from a profound understanding of life and the pursuit of professionals.



Concealed Handle Design

新型隐藏设计

采用新型铝镁铝合金材料，型材厚度达到 2.0mm，采取工艺处理技术精湛。

Adopt the new type of aluminum magnesium alloy material, profile thickness of 2.0mm, surface treatment technology and skilled.

Invisible hanch clasping

隐形扣手

采用铝镁铝合金加工而成，造型时尚简约，手感舒适，表面处理工艺精湛。

Made of aluminum magnesium alloy processing, simple and stylish, comfortable, surface treatment technology skills.

Exterior Features

超级哑光板

采用进口PETG材质，重量轻，透明性，阻气性佳，无毒无味，耐摩擦，耐腐蚀，达到了食品级标准。

Imported PETG material, light weight, transparency, gas barrier properties and taste, non-toxic and tasteless, abrasion, corrosion, reached the food level.

Super Matte Glass Door

超级哑光板

采用进口PETG材质，重量轻，透明性，阻气性佳，无毒无味，耐摩擦，耐腐蚀，达到了食品级标准。

Imported PETG material, light weight, transparency, gas barrier properties and taste, non-toxic and tasteless, abrasion, corrosion, reached the food level.

L-Y007

产品名称：卡佩	Name：Capet
门芯颜色：3C05	Color：3C05
铝框类型：A型铝合金	Aluminum Frame：A type anodized black
轨道宽度：90mm	Track：90mm
拉手型号：R-G5	Handle：R-G5
腰线型号：3002	Waist：3002
门边工艺：平直圆边	Technology：Plane Straight Edge
门芯厚度：18mm	Thickness：18mm

REMUS LCT

SUPER MATTE SERIES 超级哑光系列

如同之路，专罗系列，关于自然。
之与人，有着一切所谓的情感与生活的互动，之与家，需要情与情感的心灵碰撞——

Traces of the United States, in nature, is natural, the human, with a persistent interaction between wooden sacrifice, it with home, family and sentimental hitting phase, —

L-Y008

产品名称：氟化木SSA	Name：Fluoroarmor－S
门芯颜色：3CD+3CD8	Colors：3CD+3D8
铝框类型：A型哑灰黑	Aluminum frame：A type sandblast black
轨道宽度：60mm	Track：60mm
拉手型号：R－G8	Handle：R－G8
脚线型号：－	Plate：－
门芯工艺：平面喷白	Technology：Plane Sheet White
门芯厚度：18mm	Thickness：18mm

L-Y009

产品名称：氟化木SSB	Name：Fluoroarmor－B
门芯颜色：3CD+3CD8	Colors：3CD+3D8
铝框类型：A型哑灰黑	Aluminum frame：A type sandblast black
轨道宽度：60mm	Track：60mm
拉手型号：R－G8	Handle：R－G8
脚线型号：－	Plate：－
门芯工艺：平面喷白	Technology：Plane Sheet White
门芯厚度：18mm	Thickness：18mm

REMUS LCT

SUPER MATTE SERIES 超级哑光系列

一种简化的感觉，一种整理的不张扬聚集设计之理念各种细节的简洁和清晰。
An inner feeling, a feeling of unformalism and aggregation design is the feeling of a specific manufacture



LONGITUDINAL MOULDING

新型顶框设计

采用新型铝镁合金材料，型材厚度达到2.0mm，应用工艺处理技术精湛。
Using new Titanium magnesium alloy material, profile Thickness of 2.0mm, surface treatment technology and skillful.

HANDLE AND SUPPORTS

隐形拉手

采用特殊的冲压加工方式，造型时尚简约，手感舒适，表面处理工艺精湛。
Using special stamping and processing, simple and stylish, comfortable, surface treatment technology skills.

SURFACE TREATMENT

超级哑光面

采用进口PET板材料，重量轻，清洁性，耐气性清洁，无毒无味，安全健康，使用方，达到了高品质的。
Using imported PET board material, lightweight, cleanability, Gas resistance properties and clean, non-toxic and harmless, ultraviolet, comfortable, reached the food level.

The new cross-hidden box

新型隐框中横

采用两端分离的结构设计，使整个产品更简约，更时尚，视觉效果更强烈。
Using support material for popular frame design, so that the whole product more simple, more stylish, more beautiful visual effects.

L-Y010

产品名称：莫尔德尔	Name：Detailer
门芯颜色：3025	Colors：3025
铝框颜色：A面颜色哑	Aluminum frame：A Color paint Matt Matt
轨道宽度：90mm	Track：90mm
拉手宽度：R-06	Handle：R-06
踢脚线长：—	Plinth：—
门芯工艺：平滑表面	Technology：Flat Straight Edge
门芯厚度：18mm	Thickness：18mm

REMUS LCT

SUPER MATTE SERIES 超级哑光系列

线条创造简约风格，色彩营造温馨气氛，艺术来源于生活，智慧演绎 无处不在潮流风景做动造作。

Simple lines to create a harmonious color create a warm atmosphere, art comes from life, wisdom interpretation of the landscape are everywhere in front of the works of art.

REMUS LCT

SUPER MATTE SERIES 超级哑光系列

在这中最宝贵的瞬间，他你应该是和时间上的瞬间，一种时尚的记忆和保存。
这用的木质用来表现完整并完的记忆和产品特征和质量产品。

Life is the most precious collections, perhaps it should be engraved in time trace, a memory of years and contrails
sufficient wooden taste in production of the years of memories and can not be ignored. Inability.

L-Y012

产品名称：伊象系 A款	Name：Sample A-Y0
门芯颜色：3030+693	Colors：3030+693
铝材类型：A型铝材/黑	Aluminum Series：A-type aluminum/black
轨道高度：90mm	Track：90mm
拉手型号：R-08	Handle：R-08
腰线型号：3944	Waist：3944
门芯工艺：平面喷白	Technology：Plane Straight Edge
门芯厚度：19mm	Thickness：19mm

REMUS LCT

SUPER MATTE SERIES 超级哑光系列

简洁的设计，独特的风格创造然以永大的想象空间。
隐隐透着清新的感觉与浪漫的气质像条纹波光粼粼的碧海蓝天中。

Concise design, unique style to the thought with great imagination space faint appearing and pure and fresh feeling and romantic temperament like a plunge pool in water descending in cuale blue sky.



Crossbrace frame design

新型隐框设计

采用高型铝镁合金材料，型材厚度达到2.0mm，表面工艺处理技术精湛。

Using new Aluminum magnesium alloy material, profile thickness of 2.0mm, surface treatment technology and skilled.

The new column hidden frame

新型隐框卡槽

采用市场以流行的隐框设计，使整个产品更简约。更时尚，视觉效果更美观。

Using market mainstream popular frame design, so that the whole product more simple, more stylish, more beautiful visual effects.

External Features

超级哑光板

采用进口PETG材质，重量轻，透明性，耐气性良佳，抗重石性，耐摩擦，耐腐蚀，达到了高品质以。

Imported PETG material, light weight, transparency, gas barrier properties and tests, non-toxic and tasteless, abrasion, corrosion, reached the focal level.

L-Y013

产品名称：高亮板	Name：Gas
门芯颜色：3020+3036	Colors：3020+3036
铝框类型：A型哑砂黑	Aluminum frame：A type sandblast black
铝条宽度：50mm	Tracks：50mm
拉手型号：～	Handle：～
踢脚线号：～	Plate：～
门芯工艺：平面直边	Technology：Plane Straight Edge
门芯厚度：18mm	Thickness：18mm

REMUS LCT

SUPER MATTE SERIES 超级哑光系列

细腻精致的表面纹理处理，自然流畅的图案线条再现原子对生活的深刻认识和对专业的执着追求。
Delicate delicate surface texture processing, natural reproduction of smooth lines and patterns from a profound understanding of life and the pursuit of professionals.



Frameless frame design
新型隐框设计

采用新型加厚铝合金材料，型材厚度达到 2.0mm，
经喷工艺处理技术精湛。
Adopt the new type of thickened aluminum alloy material, profile thickness of 2.0mm, surface treatment technology and skilled.

Exterior Features
超级哑光板

采用进口PETG材质，重量轻，透明性，耐气性强性，
无毒无味，耐摩擦，耐腐蚀，达到了各项指标。
Imported PETG material, light weight, transparency, gas barrier properties and taste, non-toxic and tasteless, abrasion, corrosion, reached the five indices.

L-Y015

产品名称：玫瑰华	Name：Rulous
门扇颜色：3030+3030	Colors：3030+3030
铝框类型：A型哑光黑	Aluminum frame：A type sandblast black
玻璃厚度：5/2mm	Tools：5/2mm
拉手型号：-	Handle：-
脚线型号：-	Wire：-
门扫工艺：平面直边	Technology：Plane Straight Edge
门芯厚度：18mm	Thickness：18mm

REMUS LCT

SUPER MATTE SERIES 超银哑光系列

家是休养地，也为自己提供了各种服务设施的同时也说明了自己最诉苦情境，
能同时将相似属性最适合每个人的家居能分不同的要情。

Home is the resort, in a variety of services to provide their own facilities and also accommodate many of the feelings of their own, very different character and situation so that each person's home presents a different look.



L-Y016

产品名称，月色恋人 A	Name，Moonlightlovers - A
门芯颜色，3035	Colors，3035
铝框类型，A型铝合金	Aluminum frame，A type anodized black
轨道宽度，90mm	Track，90mm
拉手型号，-	Handle，-
腰线型号，G59	Waist，G59
门芯工艺，平面直边	Technology，Plane Straight Edge
门芯厚度，19mm	Thickness，19mm



L-Y017

产品名称，月色恋人 B	Name，Moonlightlovers - B
门芯颜色，3035	Colors，3035
铝框类型，A型铝合金	Aluminum frame，A type anodized black
轨道宽度，90mm	Track，90mm
拉手型号，-	Handle，-
腰线型号，G63	Waist，G63
门芯工艺，平面直边	Technology，Plane Straight Edge
门芯厚度，19mm	Thickness，19mm

L-Y018
产品名称：浪漫水乡
门页颜色：3036
铝框类型：A型明铝黑
轨道配置：50mm
拉手型号：-
脚线型号：Y3206
门芯工艺：平面直边
门页厚度：18mm
Name：Romantic Water
Colors：3036
Aluminum frame：A type anodized black
Track：50mm
Handle：-
Model：Y3206
Technology：Plane Straight Edge
Thickness：18mm

REMUS LCT

SUPER MATTE SERIES 超级哑光系列

度假休闲地，因为自己想拥有了各种偏向设施的同时也保持了自己最多的感情，
因同时在情绪间最自己每个人的家室能分不同的感情。

Home is the resort, in a variety of services to provide their own facilities and also accommodate many of the feelings of their own, very different character and situation so that each person's home presents a different look.

The Most Minimalist Design
新款简边设计

新型的设计理念，可根据个人要求随意搭配不同的板材，以达到不同的新颖效果，满足不同需求。
Different design concepts, can be matched according to the individual requirements of different plates, to achieve different decorative effect, meet different needs.

Superb Surface treatment
精湛的表面处理

采用镁铝锌合金材料经最优越耐腐蚀的阳极电泳涂装，
表面处理有金色及银色可选。
Titanium magnesium alloy material anti-oxidation corrosion anode electrophoresis coating. Surface treatment with gold and silver options.

Exterior Features
超级哑光板

采用进口PET材料，重量轻，韧性好，耐气性强度，
无毒无味，轻便便，耐腐蚀，达到了食品级别。
Imported PET material, light weight, transparency, gas barrier properties and taste, non-toxic and tasteless, abrasion, corrosion, reached the food level.

L-Y019

产品名称，马赛克	Name，Mosaicina
门扇颜色，加20'	Colors，20'F
铝框类型，拉丝金色	Aluminum frame，B - type Gold
轨道规格，50mm	Track，50mm
拉手型号，-	Handle，-
脚线型号，加20'	Wash，20'F
门扫工艺，平面直边	Technology，Plane Straight Edge
门扫厚度，18mm	Thickness，18mm

REMUS LCT

SUPER MATTE SERIES 超级哑光系列

不在意豪华的动人面容时尚，每一条线条都不张扬，那就是对新人的感情表现一个全新的诠释。
无需炫耀，自己深深吸引住来来往往。

Whether seen in gorgeous attire, there is no sex is concealed, and that is to create a family feeling warm home.
No need to show off, just has fascinated countless signs.

The new hand style design

新款握边设计

新款握边设计理念，可满足每个人要求随意摆放不同的柜体，以达到不同的装饰效果，满足不同需求。

The new handle design, can be placed at will, and can match according to the cabinet, in order to achieve different decorative effect, meet different needs.

Exquisite surface treatment

精美的表面处理

采用抗菌抗霉的金属钛的高光耐腐蚀的防静电涂装，使我的眼睛金色涂装有质感。

Adopt the antibacterial and mildew-proof metallic titanium and metallic compound anode electrostatic coating. Surface treatment with gold iron shine satisfies.

Exterior hardware

超级哑光板

采用进口PET印刷材质，重量轻，透明性，却气泡消失，不最怎样，却更明，也因不会因温度。

Imported PET printing material, lightweight, transparent, and bubble-free, never properties and tasks, non-toxic and tasteless, abrasion, corrosion, satisfied the food-level.

L-Y020

产品名称：系列装饰	Name：Design
门芯颜色：3003	Colors：3003
铝框颜色：拉丝金色	Aluminum Frame：B-Gold Shell
铝盒宽度：90mm	Track：90mm
拉手型号：-	Handle：-
踢脚型号：3003	Kick：3003
门芯工艺：平面雕边	Technology：Plane Straight Edge
门芯厚度：18mm	Thickness：18mm

REMUS LCT

SUPER MATTE SERIES 超级哑光系列

创造，激发时尚氛围，塑造和谐宜居的空间是公司长久追求之精神。
Remusly, users pursuing a comfortable ambiance of the pant since you always difficult to explain.

The new inset edge design
新颖嵌边设计

新颖的嵌边设计，可根据个人喜好搭配不同的颜色，以达到不同的装饰效果，满足不同需求。
The new design concept, can mix and match according to the individual needs of the user, and can be used in various different decorative effect, meet different needs.

Surface treatment
精湛的表面处理

采用国际顶级的金属材料经表面处理后增加的抗酸电泳涂层，表面处理有金色及银色可选。
Using the world's top-level metal material, anti-oxidation corrosion anode electrophoresis coating. Surface treatment with gold and silver options.

Exterior Features
超级哑光板

采用进口PET与MDF，重量轻，强韧性，抗气泡、抗刮、抗污、抗腐蚀、抗霉菌、抗虫蛀等特性，适用于潮湿地区。
Imported PET and MDF, lightweight, toughness, anti-bubble, anti-scratch, anti-fouling, anti-corrosion, anti-mildew, anti-insect and tasteless properties, suitable for humid areas.

L-Y021

产品名称：伊斯纳	Name：Zapata
门扇颜色：3038	Colors：3038
铝框颜色：同板色	Aluminum frame：Sl－type Gold
铝槽深度：50mm	Track：40mm
拉手型号：一	Handle：一
踢脚线：3038	Kick：3038
门扫工艺：平面直边	Technology：Plane Straight Edge
门扇厚度：18mm	Thickness：18mm

REMUS LCT

SUPER MATTE SERIES 超级哑光系列

Customized Wardrobe · Aluminum Alloy Frame · Hinge Hidden Installation · Anti-Mildew and Anti-Bacterial Panel

L-Y022

产品名称：宝格丽	Name：Bulgari
门芯颜色：3033	Colors：3033
铝框类型：0级金色	Aluminum frame：0 - Gold Color
轨道宽度：90mm	Track：90mm
拉手型号：—	Handle：—
腰线型号：3032	Waist：3032
门芯工艺：平面直边	Technology：Plane Straight Edge
门芯厚度：19mm	Thickness：19mm

Exterior Finishes

超级哑光面

采用进口PETG材质，重量轻、透明性、耐气性良佳，无毒无味，耐摩擦，耐腐蚀，达到了食品级别。

Imported PETG material, lightweight, transparency, good air resistance and barrier properties and taste, non-toxic and tasteless, abrasion, corrosion, reached the food level.

Superior Surface Treatment

精湛的表面处理

采用纳米铝合金材料扎紧纯氧化剂腐蚀的阳极电泳涂层，表面处理有金色及银色可选。

Adopt nanometer aluminum alloy material and oxidation corrosion anode electrophoresis coating. Surface treatment with gold and silver options.

The new hand edge design

新款顶边设计

新型的设计理念，可根据个人要求随意搭配不同的板材，以达到不同的装饰效果，满足不同需求。

Design concept, can be matched with different boards according to the individual requirements of different people, to achieve different decorative effect, meet different needs.

REMUS LGT

SUPER LIGHT SERIES 超级亮光系列

产品简洁、美观大方，门扫用最新的理念，将简单化繁为，通过不同的方式，为您提供全新的视觉享受。

In product design, the door sweeping adopts the latest concept, simplifies the complex and makes it simple, and provides you with a brand new visual enjoyment in different ways.

L-Y023

产品名称：简易移门	Name：Dimpline
门页颜色：3039	Colors：3039
铝框类型：铝型金色	Aluminum frame：B－type Gold
轨道宽度：50mm	Track：50mm
拉手型号：－	Handle：－
踢脚型号：3032	Plate：3032
门页工艺：平面直边	Technology：Plane Straight Edge
门页厚度：18mm	Thickness：18mm

Exterior Features

超级哑光板

采用进口PETG材质，重量轻、透明性、耐气性良佳，无毒无味、易清洗、耐腐蚀，达到了最佳效益。

Imported PETG material, light weight, transparency, gas barrier performance good, non-toxic and tasteless, abrasion, corrosion, reached the best level.

Superior surface treatment

精湛的表面处理

采用铝镁锰合金材料抗氧化耐腐蚀的民用电泳涂层，表面处理有金色及银色可选。

Titanium magnesium alloy material anti-oxidation corrosion anode electrophoresis coating. Surface treatment with gold and silver options.

The new round edge design

新款插边设计

新型的设计理念，可根据个人要求随意搭配不同的组件，以达到不同的视觉效果，满足不同需求。

The new design concept, can mix and match according to the requirements of individuals and different components, to achieve different decorative effect, meet different needs.

REMUS LCT
SUPER LIGHT SERIES 超级亮光系列
L-Y025
产品名称：意马为爱
门芯颜色：3035
铝框颜色：拉丝金色
轨道宽度：90mm
拉手型号：–
侧板型号：3038
门板工艺：平面喷漆
门芯厚度：18mm
Name：Sai Ma Wei
Color：3035
Aluminum frame：Silk gold
Track：90mm
Handle：–
Side：3038
Technology：Plane Sprayed Color
Thickness：18mm

REMUS LCT

SUPER LIGHT SERIES 超级亮光系列

优雅外观的一体流线中，
有时尚的前卫新材料的时尚和新工艺的活力，精致，流畅之中最时尚和个性。
In an elegant ambulacrum, organic flow for a new era of blooming fashion and new technology of vigor, fine and smooth is comfortable and personality.

Frameless Edge Design
新型板设计
采用新型铝镁组合金材料，型材厚度达到2.0mm，
表面工艺处理技术解决。
Using new Aluminum magnesium alloy material, profile thickness of 2.0mm, surface treatment technology and added.

Invisible hand-clapping
隐形拉手
采用拉槽铝合金加工而成，造型时尚简约，手感舒适，
表面处理工艺精湛。
Various magnesium alloy processing, simple and stylish, comfortable, surface treatment technology skills.

Exterior Features
超级亮光板
采用进口PET亚克力，重量轻，透明性，耐气性防油，
无毒无味，耐摩擦，耐腐蚀，达到了食品级别。
Imported PET acrylic material, light weight, transparency, gas barrier properties and taste, non-toxic and tasteless, abrasion, corrosion, reached the food level.

L-Y026

产品名称：伊诺德	Name：Enoir
门芯颜色：3006	Colors：3006
铝材类型：A型铝合金	Aluminum frame：A type aluminum
轨道宽度：90mm	Track：90mm
拉手型号：R-06	Handle：R-06
踢脚型号：3000	Hook：3000
门扫工艺：平面直边	Technology：Plane Straight Edge
门芯厚度：18mm	Thickness：18mm

REMUS LCT

SUPER LIGHT SERIES 超级亮光系列

超级亮光系列，以简洁的线条为主，以简单的造型，简单的色彩，
简单的材质，简单的工艺，简单的装饰，简单的生活，
简单的时尚，简单的时代，简单的人生，Lucent series, Minimalist, Life is The Art.

L-Y027

产品名称：铝边镜面	Name：Sunpanel
门芯颜色：3006	Color：3006
铝框类型：A型铝合金	Aluminum Frame：A type ventilated blank
轨道宽度：90mm	Track：90mm
拉手型号：R-08	Handle：R-08
腰线型号：3009	Waist：3009
门芯工艺：平面直边	Technology：Plane Straight Edge
门芯厚度：19mm	Thickness：19mm

Contemporary Home Series

新型隐框设计

采用新型铝镁合金材料，型材厚度达到 2.0mm，表面工艺处理技术精湛。
简单的造型，使整个产品外观更时尚，更美观。
新型的设计理念，更加突出整个产品的设计感。

Using new titanium magnesium alloy material, profile thickness of 2.0mm, surface treatment technology and skilled.
Simple shape, so that the whole product look more stylish, more beautiful.
The new design concept, design a more prominent sense of the entire product.

Hidden frame light picture
隐框光企

Crown hidden box
隐框中镶

Hidden frame up and down the rail
隐框上下轨

REMUS LCT

SUPER LIGHT SERIES 超级亮光系列

L-Y028

产品名称：亮光系列
门芯颜色：3005
玻璃类型：A级磨砂喷漆
玻璃厚度：5mm
拉手型号：R-05
铝材型号：3001
门的工艺：平面直边
门芯厚度：18mm

Name：Valid
Colors：3005
Aluminum Frame：A-grade sand blast lacquer
Glass：5mm
Handle：R-05
Model：3001
Technology：Plane Straight Edge
Thickness：18mm

REMUS LCT

SUPER LIGHT SERIES 超级亮光系列

每一种回家如厨房那家门，一种可以随意拉安全感的开拉盒，那拉门滑，走进一个属于你已的优雅空间。

Each kind of home life is like a hatcoat by the door, and safe feeling pulse spontaneously, sliding door, in, walked into a belongs its own elegant space.



Circumscribe frame design

新型隐框设计

采用新型铝镁铝合金材料，型材厚度达到2.0mm，表面工艺处理技术精湛。

Using new Remuls magnesium alloy material, profile thickness of 2.0mm, surface treatment technology and skilled.

Invisible hatch clasping

隐形扣手

采用隐藏型的全拉工艺设，造型时尚简约，手感舒适，表面处理工艺精湛。

Using hidden pull-out process, processing, simple and stylish, comfortable, surface treatment technology skills.

Dermal board

德米特板

颜色丰富，图案清晰，经摆装高，色彩亮丽，立体感强，不褪色，亮度高，平整度好，耐磨耐污。

Drawn, a clear pattern, texture vivid, bright colors, strong three-dimensional, do not fade, high brightness, good flatness, scratch resistant.

Super light of board

超级亮光板

采用进口PETG材质，重量轻，透明性，阻气性强强，抗毒无味，耐摩擦，耐腐蚀，达到了高级质感。

Imported PETG material, light weight, transparency, gas barrier properties and taste, non-toxic and resistance, abrasion, corrosion, reached the luxurious.

L-Y029

产品名称：尼诺斯	Name：NiLuo
门芯颜色：3006	Color：3006
铝框颜色：A型哑白银	Aluminum frame：A type sandblast black
轨道宽度：90mm	Track：90mm
拉手型号：R-08	Handle：R-08
踢线型号：3039	Wire：3039
门芯工艺：平面圆边	Technology：Plane Straight Edge
门芯厚度：18mm	Thickness：18mm

REMUS
SUPER LIGHT SERIES 超级亮光系列
L-Y030
产品名称：雷克斯
门扫宽度：3000-3009
铝框类型：A型断桥铝
轨道宽度：90mm
拉手型号：-
锁芯型号：3030
门芯工艺：平面造型
门芯厚度：18mm
Name：Rexlight
Colors：0030-0033
Aluminum frame：A type bridge-cutoff lock
Track：90mm
Handle：-
Lock：3030
Technology：Plane Straight Edge
Thickness：18mm

REMUS LCT

SUPER LIGHT SERIES 超级亮光系列

每一扇门，都是改善的态实际有者。
打开为一般的热情，是步向幻想，丰富有想赋，每一次更对现实的梦，安定充实日，恬淡的秘争，
信到的期待。
Every door, all is the story of the faithful Believe. Chocolate general tone, is years sink temple, rich has an exquisite, every face on home, stability and incitement, mundane endeavor, instantly melt.

Super light series
超级亮光系列

采用进口PET引材质，重量轻，透明性，超气性保持，
无重天料，耐磨擦，耐腐蚀，达到了高品质后。
Imported PET引 material, light weight, transparency, gas barrier properties are bare, non-hole and tasteless, abrasion, corrosion, reached the bad-level.



L-Y031

产品名称：安盛31A	Name：Andere－A
门扇颜色：1921+1922	Colors：1921+1922
铝框类型：A型铝价黑	Aluminum frame：A-type anodized black
轨道宽度：50mm	Track：50mm
拉手型号：R-08	Handle：R-08
脚线型号：-	Stair：-
门边工艺：平面直边	Technology：Plane Straight Edge
门芯厚度：18mm	Thickness：18mm



L-Y032

产品名称：安盛31B	Name：Andere－B
门扇颜色：1921+1922	Colors：1921+1922
铝框类型：A型铝价黑	Aluminum frame：A-type anodized black
轨道宽度：50mm	Track：50mm
拉手型号：R-08	Handle：R-08
脚线型号：-	Stair：-
门边工艺：平面直边	Technology：Plane Straight Edge
门芯厚度：18mm	Thickness：18mm

L-Y033

产品名称：半玄关床	Name：Cabin Bed
门芯颜色：3006	Colour：3006
铝框类型：大边铝材镶	Aluminum Frame：Frame Inlaid Wood Skin
轨道宽度：50mm	Track：50mm
拉手型号：一	Handle：一
侧板型号：明边	Frame：MB
门扫下：平直角边	Sweep：Plane Straight Edge
门芯厚度：18mm	Thickness：18mm

L-Y035
产品名称：衣柜
门芯颜色：3006
侧板表面：A级铝合金板
轨道宽度：90mm
柜子高度：7'
颜色代号：JM19
门扇工艺：平面磨边
门芯厚度：18mm
Name：Lin Royal
Colors：3006
Aluminum Glass：A Gold Sandblast Deck
Track：90mm
Height：
Color：JM19
Technique：Plane Grinding Edge
Thickness：18mm

REMUS LCT

SUPER LIGHT SERIES 超级亮光系列

每一扇门，都是改善的态实和传奇。
它为为一般的热闹，是沙河的沉默，丰富有韵赋，每一次更对现实的梦，你觉悟清晨，觉悟的秘争，
感到的眼长。

Every door, all is the story of the faithful listener, Chocolate general tomd, in years sink temple, rich has an enjoyable, every face
as home, stability and indifferent, mandarine endeavor, instantly inert.

L-Y036

产品名称：欧美衣	Alpha：AlUlitra
门扫颜色：3006	Colors：3006
铝框类型：A型铝铝合金	Aluminum Frames：A type aluminum Glass
玻璃厚度：10mm	Tickness：10mm
拉手型号：—	Handle：—
脚线型号：3020	Vision：3020
门扫工艺：平面圆边	Technology：Plane Straight Edge
门扫厚度：18mm	Thickness：18mm

REMUS LCT

SUPER LIGHT SERIES 超级亮光系列

每一扇门，都是故事的忠实聆听者。
巧妙力一般的热诚，是步伐的沉稳，平衡有致赋，每一次面对我的顾家，安定而坦荡，恰倾听的手，
坚韧的脚长。

Every door, who the story of the faithful listener. Chocolate general tenaci, is years solid temple, Ach has an exquisite, every face so home, stability and indifferent, mountains endeavor, instantly meet.

L-Y037

产品名称：SUS集合	Name：SuisUcci
门芯颜色：3006	Colors：3006
铝框颜色：A型哑拉黑	Aluminum frame：A type aluminum black
轨道宽度：60mm	Track：60mm
拉手型号：—	Handle：—
脚线型号：3020	Hinge：3020
门芯工艺：平面直边	Technology：Plane Straight Edge
门芯厚度：18mm	Thickness：18mm

REMUS UV

UV LIGHT SERIES UV 亮光系列

活泼盎然，生命不一般，恬然安逸的居住氛围，那份柔之美韵，朝晖的之美味，平和宽怡一般，静静倾诉的暖色门扇，是从容雅致的动感，平滑一那一水面粼粼海藻。

Light Hedyosmus in the Forest, the Mind, Hey! enjoy the single peaceful life, showing the taste, casual glimpse of open doors, quietly, is wrapped brown summer cool and refreshing ampharc, on collect weed and blade are bamp interesting.

Continuous frame design

新型隐框设计

采用新型铝镁锰合金材料，型材厚度达到 2.0mm。
表面处理技术精湛。
adopt new aluminum magnesium alloy material, profile thickness of 2.0mm, surface treatment technology and skillet.

Invisible hand-catching

隐形把手

采用拉槽设计使加工方便，造型时尚简约，手感舒适，表面处理工艺精湛。
Tilanon integration alloy processing, simple and stylish, comfortable, surface treatment technology, skills.

Bright UV board

亮光 UV 板

采用进口PU色漆，自然清澈，高亮度，表面光泽亮丽，手感滑轧，抗刮平整，有活性能，耐酸碱防腐蚀。
Imported PU paint, natural clear, high brightness, surface gloss bright, feel smooth, flat paint, scratch resistance and acid and alkali corrosion.

L-Y038

产品名称：伊士卡	Name：Y-Ethic
门芯颜色：加白	Color：White
铝框表面：内国棕灰黑	Aluminum Face：Inner-brown black
抽屉宽度：924mm	Tiam：924mm
拉手型号：R-C60	Handle：R-C60
铝框厚度：2.0mm	Hole：2.0mm
门芯工艺：平面圆边	Technology：Plane Straight Edge
门芯厚度：18mm	Thickness：18mm

REMUS UV

UV LIGHT SERIES UV 亮光系列

行业内独一的结构，最佳，是每一个人的期待。独创柔对边拉锁条，原创四面，增强长边强度。
Making no like city of others, beauty is my own loveliness. Placing the bottleneck overall carefully grows slowly in the crevices of missing.

Colour Lacquer

亮光 UV 板

采用进口 UV 涂料，色泽清新，高亮度，表面光滑亮丽，手感清润，抗污平整，耐刮耐磨，耐酸碱耐腐蚀。
Adopting imported UV coating, fresh color, high gloss, smooth and bright surface, fine touch, fouling resistance, flat and smooth, fine and durable, resistance to acid and alkali and corrosion.

Titanium Magnesium Alloy

钛铝合金

采用钛镁铝合金加工而成，造型时尚简约，手感舒适，表面处理工艺精湛。
Titanium magnesium alloy processing, simple and stylish, comfortable, surface treatment technology skills.

Aluminum Alloy Frame

新型铝框边?

采用新型铝镁铝合金材料，型材厚度达到 2.0mm，采取工艺处理技术精良。
Using new Titanium magnesium alloy material, profile thickness of 2.0mm, surface treatment technology and skillful.

L-Y039

产品名称：钛铝系列	Name：Glass Line
门扫颜色：3000×3044	Colors：White Glass
铝材表面：大理石纹	Aluminum Frame：Marble Grain
玻璃厚度：10mm	Thick：10mm
拉手型号：R-08	Handle：R-08
踢脚型号：3944	Kick：3944
门扫工艺：平滑圆边	Technology：Plane Straight Edge
门扫厚度：18mm	Thickness：18mm

备注：此门下带进口铝镁铝及门拉的价格为准。

REMUS UV

UV LIGHT SERIES uv亮光系列

L-Y040

产品名称：维尔纳斯	Name：Vilnus
门芯颜色：3000×3000	Colors：3000×3000
铝框颜色：A型哑白黑	Aluminum frame：F-type anti-black
轨道宽度：90mm	Track：90mm
拉手型号：R-08	Handle：R-08
圆弧型号：3000×3000	Visage：3000×3000
门芯工艺：平面直边	Technology：Plane Straight Edge
门芯厚度：19mm	Thickness：19mm

Conspicuous frame design

新型隐框设计

采用新型铝镁合金材料，型材厚度达到 2.0mm，表面工艺处理技术精湛。

简单的造型，使整个产品外观更时尚，更美观。

新型的设计理念，更突出整个产品的设计感。

Using new Markum magnesium alloy material, profile thickness of 2.0mm, surface treatment technology and skilled.

Simple shape, so that the whole product look more stylish, more beautiful.

The new design concept, design is more prominent sense of the entire product.

Hidden frame light picture

隐框光企

Cross hidden box

隐框中镜

Hidden frame up and down the rail

隐框上下轨

REMUS UV
UV LIGHT SERIES UV亮光系列
L-Y041
产品名称：雷姆斯型
门扇颜色：XXX
结构类型：A型侧拉柜
箱体材质：板材
内部空间：H-01
箱体尺寸：XXXL
门扇材质：实木+玻璃
门扇工艺：实木雕花
门扇重量：XXKG
Name: Odette
Color: XXX
Structure: A-type side pull cabinet
Material: Board
Inside: H-01
Size: XXXL
Material: Solid wood + Glass
Craftsmanship: Solid wood carving
Weight: XXKG

REMUS UV

UV LIGHT SERIES UV 亮光系列

展开我最经典的杂志，相册及动画三维上的三重功能，期盼通过这一个简单的午后。

Unfolding my most precious magazine, new the touching sculpture on the white maple cabinet which contract with me for a simple afternoon.

L-Y042

产品名称：雅阁玫瑰	Name: Pinaiou
门芯颜色：3006	Colors: 3006
铝框模型：A型铝砂板	Aluminum frame: A type anodized black
铝框厚度：60mm	Thickness: 60mm
拉手型号：R-08	Handle: R-08
镜面型号：3660×3030	Mirror: 3660×3030
门芯工艺：平面圆边	Technology: Plane Straight Edge
门芯厚度：18mm	Thickness: 18mm

REMUS UV

UV LIGHT SERIES UV亮光系列

L-Y043

产品名称：和图柚木
门芯颜色：3006
铝框类型：A型铝合金
铝通厚度：1.0mm
拉手品牌：R-08
锁芯品牌：3009
门芯工艺：平面造白
门芯厚度：18mm

Product name: Remus
Door color: Beige
Aluminum frame: A type aluminum back
Aluminum thickness: 1.0mm
Handle: R-08
Lock: 3009
Door core: Flat straight-edge
Door core thickness: 18mm

REMUS UV

UV LIGHT SERIES UV 亮光系列

在这里，自然可以被赋予一种颜色，一种思想，一种选择。
和自然法则相同的特色保留，最能最合乎自然的样，与美丽的精神相应。

Nature can be endowed by a kind of color, a kind of thought, a kind of conception.The turning-angel bookcase with simple and elegant structure contains Eco-friendlyful pureness, which can perfect by habitat of spirit.

L-Y045

产品名称：梅李华	Name：Jennifer Love
门芯颜色：3929+3933	Colors：3929+3933
铝框系列：A型铝材料	Aluminum frame：A type aluminum frame
轨道宽度：90mm	Track：90mm
拉手系列：-	Handle：-
脚轮型号：-	Wheel：-
门芯工艺：平面磨边	Technology：Plane Straight Edge
门芯厚度：19mm	Thickness：19mm

Conscientious frame design

新型隐框设计

采用新型铝材料合金材料，型材厚度达到 2.0mm，表面工艺经增强术精湛。
简单的造型，使整个产品外观更时尚，更美观。
新型的设计理念，更加突出整个产品的设计感。

Using new titanium magnesium alloy material, profile thickness of 2.0mm, surface treatment technology and skilled.
Simple shape, so that the whole product look more stylish, more beautiful.
The new design concept, design is more prominent sense of the entire product.

Hidden frame light phase

隐框光企

Cover hidden box

隐框中镶

Hidden frame up and down the rail

隐框上下轨

REMUS UV

UV LIGHT SERIES UV 亮光系列

L-Y046	
产品名称：四边隐框	Name：Four Philippe
门页颜色：3020	Colors：3020
铝框类型：A型铝合金	Aluminum frame：A type sandblast black
轨道宽度：90mm	Track：90mm
拉手型号：R-08	Handle：R-08
槽线型号：3033	Vinet：3033
门页工艺：平面直边	Technology：Plane Straight Edge
门页厚度：19mm	Thickness：19mm

Experienced frame design

新型隐框设计

采用新型铝镁锰合金材料，型材厚度达到2.0mm，表面工艺处理技术精湛。
简洁的造型，使整个产品外观更时尚、更美观。
新型的设计理念，更加突出整个产品的设计感。

Using new Medium magnesium alloy material, profile thickness of 2.0mm, surface treatment technology and skilled.
Simple shape, so that the whole product look more stylish, more beautiful.
The new design concept, design a more prominent sense of the entire product.

Hidden frame Upright pillars
隐框间企

Crown hidden box
隐框中槽

Hidden frame up and down the rail
隐框上下轨

REMUS

UV LIGHT SERIES 系列

L-Y047

产品名称：雅诺斯顿	Name：Senio
门扣颜色：3006	Color：3006
铝框类型：A型铝合金	Aluminum frame：Type aluminum alloy
轨道宽度：90mm	Track：90mm
拉手型号：R-08	Handle：R-08
侧板型号：3039	Plate：3039
门扣工艺：平滑圆边	Technology：Plane Straight Edge
门芯厚度：18mm	Thickness：18mm

Invisible hand-shaping

隐形扣手

采用隐藏结合金加工完成，造型时尚简约，手感舒适。
表面处理工艺精湛。
Titanium magnesium alloy processing, simple and stylish, comfortable, surface treatment technology skills.

UV light of wood board

亮光 UV 木纹板

UV 光固化技术，每材表面光滑平整，纹理清晰，可制作出各种木材纹理，适用于各种风格的装修。
UV light curing technology, the plate surface smooth, clear texture, can produce a variety of wood quality, for a variety of decor.

UV light of board

亮光 UV 板

采用进口PU色漆，自然清新，高亮度，表面光滑亮洁，手感细滑，结构平整，耐刮耐磨，耐酸碱耐腐蚀。
Imported PU paint, natural clear, high brightness, surface gloss bright, feel smooth, flat paint, scratch resistant, acid and alkali corrosion.

REMUS UV

UV LIGHT SERIES UV 亮光系列

都市的喧嚣，笼罩人文自然的外表，使用代表自然的木质，给自己的居室多一点阳光，舍弃繁杂的心境静享时间，更是每室主选自己的时尚潮流。

The rushing of city, cover with the outside shapely, making the modern furniture use the natural wood, to add more sunshine on an unique humanism care.Giving your room more light, not only to unlock the health, but to decorate your taste of life.



L-Y048

产品名称，背板色	Name, Psyche
门页颜色，1502	Color, 1502
铝框类型，A型铝拉槽	Aluminum frame, A-type sandblast black
包装宽度，90mm	Trim, 90mm
拉手型号，-	Handle, -
侧板型号，3050	Vneer, 3050
门页工艺，平面圆边	Technology, Plane Straight Edge
门页厚度，18mm	Thickness, 18mm

REMUS UV

UV LIGHT SERIES UV 亮光系列

在这个繁忙的现实区域水流平，每次来的东西需要花内心慢仔细思考，每次来的东西需要我们细细品味。

Remembering the past time at the silent moment, there are too many things to measure carefully, too many things to taste deeply.

UV light of wood board

亮光 UV 木纹板

UV 光固化技术，纹材表面光滑平整，纹理清晰，可根据客户需求定制，选用不同纹理纹路，可产生多种木纹质感。

UV light curing technology, wood surface smooth, clear texture, can customize according to customer needs, use different texture, can produce a variety of wood quality, for a variety of decor.

Invisible hand opening

隐形扣手

采用钛镁铝合金加工而成，造型时尚简约，手感舒适，表面处理工艺精湛。

Titanium magnesium alloy processing, simple and stylish, comfortable, surface treatment technology skills.

Chubbiness frame design

新型隐框设计

采用新型铝镁铝合金材料，型材厚度达到 2.0mm，表面工艺处理技术精湛。

Using new titanium magnesium alloy material, profile thickness of 2.0mm, surface treatment technology and craftsmanship.

Exterior Fashion

亮光 UV 板

采用进口 PU 色漆，自然清晰，亮亮丽，表面光滑亮丽，手感清柔，清洁干爽，耐污耐磨，耐酸碱耐腐蚀。

Imported PU paint, natural and clear, bright and beautiful, smooth and bright surface, gentle and clean, dry and clean, stain resistant, wear-resistant, acid and alkali corrosion.

L-Y049

产品名称：新特拉斯	Name：Strasser
门芯颜色：977	Color：977
铝框类型：A型铝材黑	Aluminum frame：A type aluminum black
抽屉厚度：50mm	Tiem：50mm
拉手型号：-	Handle：-
踢脚型号：3041	Walk：3041
门芯工艺：平面圆边	Technology：Plane Straight Edge
门芯厚度：18mm	Thickness：18mm

L-Y050

产品名称：米兰斯
门扫颜色：977
铝框类型：A型铝合金
钻石厚度：10mm
拉手型号：
滑轮型号：35DF
门对工艺：不锈钢边
门扫厚度：18mm

Name：Milan
Color：977
Aluminum frame：F-Q30 Aluminum
Tiam：10mm
Handle：
Roller：35DF
Technology：Plane Stainless Steel
Thickness：18mm

REMUS UV

UV LIGHT SERIES UV 亮光系列

每一天都在要给生活在自己喜欢的空间里。
欣赏现代木精品超时家具，用生活的感动化为你的品味，使你满意。
Living in the wonderful space of your own, appreciate the delicate and artistic furniture and taste the exquisite movement of life details!

Invisible handle detaining
隐形拉手

采用暗槽联合金加工而成，造型时尚简约，手感舒适。
表面处理工艺精湛。
Adopt hidden groove combined processing, simple and stylish, comfortable, surface treatment technology skills.

Exterior Surface
亮光 UV 板

采用进口PU色漆，自然清晰，高亮度，表面光滑亮丽，
手感柔润，抗刮不易，耐污耐潮，耐腐蚀耐腐蚀。
Adopt imported PU paint, natural clear, high brightness, smooth surface bright, feel smooth, flat paint, scratch resistant, and and alkali corrosion.

L-Y051

产品名称：超滑轨	Name：Sag Latchs
门芯颜色：TOP	Colors：TOP
铝型材型：A系列铝材槽	Aluminum Frame：A Series Material Slots
轨道宽度：50mm	Track：50mm
拉手安装：B-1槽	Handle：B-1 Slot
圆角型号：-	Angle：-
门扫工艺：平面直边	Technology：Plane Straight Edge
门芯厚度：18mm	Thickness：18mm

REMUS UV

UV LIGHT SERIES UV 亮光系列

心与自然同频的时候，我们冲动爱动词第一种字眼，这正是现代人所能行动诉说。
那里有绿色清新的空间，轻松清除各几不同的感时间流逝。

Our mind will get the serenity when our minds stay together with nature, which is just the life we are advocating. The mark of olive yellow and pink is devoting the subject of time forever.

REMUS UV

UV LIGHT SERIES UV 亮光系列

在平和清雅灵动的瞬间，内在的护卫之意，——德风斯内。
清晰素描线条的第一并与大自然相融的感觉，引领我们对轻盈的生命中体验真实。

At the moment when the poetry is flowing, all the intrinsic fragrant of linear untrickle with the wind. The sense melt with nature which grows in Plain Maple, leading us to experience the true meaning in the light footed life.



Crosshatch Frame design

新型隐框设计

采用新型铝镁铝合金材料，型材厚度达到 2.0mm，
拥有工艺处理技术精湛。

Using new titanium magnesium alloy material, profile thickness of 2.0mm, surface treatment technology and skillful.

Invisible hatch clasping

隐形扣手

采用铝镁铝合金加工而成，造型时尚简约，手感舒适，
表面处理工艺精湛。

Titanium magnesium alloy processing, simple and stylish, comfortable, surface treatment technology skills.

Exterior Fashion

亮光 UV 板

采用进口光泽度，自然清新，高亮度，表面光滑亮丽，
手感细润，耐磨平整，耐刮耐磨，耐酸碱耐腐蚀。

Imported PU paint, natural clean, high brightness, surface gloss bright, hand smooth, flat paint, scratch resistant, and and alkali corrosion.

L-Y053

产品名称：柜家士	Name：Dad & Pons
门芯颜色：977	Colors：977
铝框颜色：A型哑拉黑	Aluminum frame：A type sandblast black
轨道高度：90mm	Track：90mm
拉手型号：R-08	Handle：R-08
腰线型号：933	Waist：933
门芯工艺：平面圆边	Technology：Plane Straight Edge
门芯厚度：18mm	Thickness：18mm

REMUS UV
UV LIGHT SERIES UV 亮光系列
关于家的记忆，起始于一个温馨的童话，温暖，幸福，在温馨的家里，创造一种宁静与和谐，形成与自然的交融。
The memories about home begin with a old tale, which is warm and fortunate.Create a kind of peace and harmonious,exist in the warm home to achieve the combination with nature.
L-Y055
产品名称：百特思
Name：Belfast
门芯颜色：9A2
Colors：9A2
铝框类型：A型横纹哑面
Aluminum frame：Type-transverse matte
轨道宽度：50mm
Track：50mm
拉手型号：R-06
Handle：R-06
脚线型号：
Skirting：
门芯工艺：平面喷印
Technology：Plane Straight Edge
门芯厚度：18mm
Thickness：18mm
099
100

REMUS-UV
UV LIGHT SERIES UV亮光系列
L-Y056
产品名称：睡眠床
门扉颜色：BT7-033
结构类型：A型结构结构
轨道宽度：90mm
柜体型号：-
滑轨型号：-
门扉工艺：平面直边
门扉厚度：18mm
Name：Dressing Bed
Colors：BT7-033
Structure Type：A type structure frame
Track：90mm
Model：-
Slide：-
Technology：Plane Straight Edge
Thickness：18mm

REMUS UV

UV LIGHT SERIES UV 亮光系列

以简洁明亮，和谐平静为主调，加如了一个温馨的暖调，温暖，舒适，在温暖的家里，创造一种宁静悠闲氛，回成与自然间的交融。

Simple and bright, and harmony and peace as the main tone, which is warm and Refreshing. Create a kind of peace and harmoniousness in the warm home to achieve the fusion with nature.

L-Y057

产品名称：莎拉A款	Name：Isaac-A 莎
门扉颜色：077+083	Color：077+083
铝框类型：A型喷砂黑	Aluminum frame：Frosted sandblast black
轨道宽度：50mm	Track：50mm
拉手型号：Handle：-	
脚线型号：-	
门扉工艺：平面拉边	Technology：Plane Straight Edge
门扉厚度：19mm	Thickness：19mm

REMUS UV

UV LIGHT SERIES UV 亮光系列

关于家的记忆，起始于一个温馨的童话，温暖，幸福，在温馨的家里，创造一种宁静与和谐，完成与自然的交融。

The memories about home begin with a old tale, which is warm and fortunate.Create a kind of peace and harmoniousness in the warm home to achieve the combination with nature.



L-Y058

产品名称：布加迪A	Name：Bugatti-A
门芯颜色：B03	Colors：B03
铝框类型：A型铝合金	Aluminum frame：A type anodized black
轨道宽度：50mm	Track：50mm
拉手型号：-	Handle：-
脚线型号：M20	Hide：M20
门芯工艺：平面直边	Technology：Plane Straight Edge
门芯厚度：18mm	Thickness：18mm

L-Y059

产品名称：布加迪B	Name：Bugatti-B
门芯颜色：B03	Colors：B03
铝框类型：A型铝合金	Aluminum frame：A type anodized black
轨道宽度：50mm	Track：50mm
拉手型号：-	Handle：-
脚线型号：M25	Hide：M25
门芯工艺：平面直边	Technology：Plane Straight Edge
门芯厚度：18mm	Thickness：18mm

REMUS UV

UV LIGHT SERIES UV 亮光系列

冬天来临之时，此刻不一定是冷的最佳，温暖，幸福，在温馨的家里，创造一种梦幻光线，光线与自然的结合。

The chill of the Winter has begun with a bit late, which is warm and fortunately! Create a kind of dream and harmonious sunness in the warm home to achieve the combination with nature.

REMUS UV

UV LIGHT SERIES UV 亮光系列

关于家的记忆，如同子一个追逐的渴望，温暖，幸福，和谐和谐家，创造一种宁静与和谐，完成与自然的交融。

The memories about home begin with a old tale, which is warm and fortunate.Create a kind of peace and harmoniousness in the warm home to achieve the combination with nature.

L-Y061

产品名称：L-Y061
产品规格：L231-277
适用材质：中密纤维板
饰面材质：UV亮光
外形尺寸：
侧板宽度：
门板宽度：
门板工艺：平板拉白
门把款式：T型拉手

Name: L-Y061
Size: L231-277
Applicable material: Medium density fiberboard
Surface material: UV light
Shape size:
Width:
Door plate process: Plate pull-white
Doorknob style: T-shaped handle

REMUS DMT

THE DEMET SERIES 德米特系列

阳光轻轻洒进屋里地的一角，她原来样样如，但总是被阳光投了她的美丽身影。

Sunshine slides into the corner of the warm house, which is so happy, but we can catch the beautiful shadow of it.

L-Y062

产品名称：爱特美罗	Name：SarTyrann
门芯颜色：9018	Colors：9018
铝框颜色：A型黑砂黑	Aluminum frame：A type sandblast black
轨道宽度：90mm	Track：90mm
拉手型号：–	Handle：–
腰线型号：9020	Waist：9020
门芯工艺：平面圆边	Technology：Plane Straight Edge
门芯厚度：18mm	Thickness：18mm

The new mixed edge design

新款圆边设计

新款圆边设计理念，可根据个人要求随意搭配不同的板材，以达到不同的圆形效果，满足不同需求。

The new design concept, can mix and match according to the individual requirements of different plates, to achieve different decorative effect, meet different needs.

Demet Series

德米特系列

颜色多样，图案清晰，纹理清真，色彩亮丽，立体感强，不褪色，亮度高，平整度好，耐磨耐刮。

Shows, a clear pattern, texture vivid, bright colors, strong three-dimensional, do not fade, high brightness, good flatness, scratch resistant.

REMUS DMT

THE DEMET SERIES 德米特系列

阳光轻轻洒进清晨宽敞的一角，她若隐若现地在那工作室的黑眼角里。

Sunshine slides into the corner of the warm house, which is so hazy, but we can catch the beautiful shadow of it silt.

L-Y063

产品名称：雷莫诺	Name：Raymond Vital
门芯颜色：米白	Colors：Beige
铝框类型：A型铝拉手	Aluminum frame：Frame handleless black
轨道宽度：90mm	Track：90mm
拉手型号：-	Handle：-
螺栓型号：9644	Vitals：9644
门的工艺：平面直边	Technology：Plane Straight Edge
门芯厚度：18mm	Thickness：18mm

The new concept of design

新款理念设计

新型的设计理念，可根据个人要求随意搭配不同的柜材，以达到不同的新颖效果，满足不同要求。

Design of the new type, can be matched with different cabinets according to the individual requirements of different styles, to achieve different decorative effect, meet different needs.

Demet series

德米特系列

细腻质感，图案清晰，纹理逼真，色彩亮丽，立体感强，不褪色，高亮度，平整度好，耐磨耐压。

Fine texture, clear pattern, realistic texture, bright color, strong three-dimensional, no color fade, high brightness, good flatness, scratch resistant.

REMUS BM

BRUSHED METAL SERIES 金属拉丝系列

自由的感受如同孩子的心灵纯洁处，向蓝色子宫期待的怀抱，相所有的美妙元素在无意象的创造发生。
使用主义是一种原始的神秘表现，真实，自由，没有任何雕饰的繁杂。

The feeling of freedom comesfrom the deep heart. Staying in the perfect space, all the emotions flying the imagination kingdom.
Simplicity has an original and mysterious beauty, which is true and free, without any decorations.

Trapezoidal frame design
新型隐框设计

采用新型铝材结合金材料，型材厚度达到2.0mm，表面工艺处理技术精湛。
Using new titanium magnesium alloy material, profile thickness of 2.0mm, surface treatment technology and skilled.

Exterior Features
超级亮光板

采用进口PETG材质，重量轻、透明性、耐气饮保证，光泽之间，轻便便，耐摩性，达到了高品质。
Using imported PETG material, light weight, transparency, gas barrier properties and better, non-toxic and tasteless, abrasion, corrosion, reached the final level.

Invisible hand-sweeping
隐形扣手

采用铝镁铝合金加工而成，造型时尚简约，手感舒适，表面处理工艺精湛。
Titanium magnesium alloy processing, simple and stylish, comfortable, surface treatment technology skills.

Brushed metal panel
金属拉丝板

采用铝镁铝合金加工而成，表面处理工艺精湛，可随意与每种搭配，时尚美观。
Titanium magnesium alloy processing, surface treatment technology skills. And the plates can freely mix, stylish appearance.

L-Y065

产品名称：重拉滑道	Name：Reggie-break
门洞颜色：3000×13	Colors：3000×13
铝框类型：A型暗沟槽	Aluminum frame：A type sandblast black
轨道宽度：50mm	Track：50mm
拉手型号：R-06	Handle：R-06
脚线型号：-	Plate：-
门芯工艺：平面圆边	Technology：Plane Dragon Edge
门芯厚度：18mm	Thickness：18mm

REMUS BM

BRUSHED METAL SERIES 金属拉丝系列

L-Y066

产品名称：高抽屉	Name：A-Cbc
门芯颜色：3200×C22	Colors：3200×C22
铝框类型：A型细纹黑	Aluminum frame：A type-combed black
轨道规格：90mm	Track：90mm
拉手型号：R-G6	Handle：R-G6
脚轮型号：-	Wheel：-
门芯工艺：平底直边	Technology：Plane Straight Edge
门芯厚度：18mm	Thickness：18mm

Brushed metal plate

金属拉丝板

采用拉丝板综合金加工而成，表面处理工艺精湛，可随意与板件搭配，时尚雅观。

Titanium magnesium alloy processing, surface treatment technology skills. And the plate can freely mix, stylish appearance.

Cryptoscope frame design

新型隐框设计

采用新型铝镁锰合金材料，型材厚度达到2.0mm，表面工艺处理技术精湛。

Using new titanium magnesium alloy material, profile thickness of 2.0mm, surface treatment technology and skilled.

Invisible barrel clasping

隐形扣手

采用拉丝板综合金加工而成，造型时尚简约，手感舒适。表面处理工艺精湛。

Titanium magnesium alloy processing, simple and stylish, comfortable, surface treatment technology skills.

REMUS 可选衣柜配件

OPTIONAL WARDROBE ACCESSORIES

中横

竖框

上横

中横

竖框

上横

上轨

下轨

竖框

中横

上横

下横

拉手-01

拉手-02

拉手-03

拉手-05

拉手-06

拉手-07

拉手-08

拉手-09

R08

拉手-10

拉手-11

拉手-12

拉手-13

自由的感觉如同源于内心的深处，而置身于完美的空间，将所有的情绪沉浸在繁盛的氛围里。
现简主义是一种原始的纯粹美感，真实、自由，没有任何雕饰的要地。

The feeling of freedom comes from the deep heart. Staying in the perfect space, all the emotions flying the imagination kingdom.
Simplicity has an original and mysterious beauty, which is true and free, without any decorations.

拉手-15

拉手-16

拉手-17

拉手-18

拉手-19

阻尼器

01

上下滑轮-01

上下滑轮-02

上下滑轮-03

下滑轮

防尘条A

防尘条B

防撞条A（白色）

防撞条A（红色）

防撞条B

REMUS

CUSTOM CLOSET CHART 定制衣柜结构图

自由的感觉如同源于内心的深处，而置身于完美的空间，将所有的情绪沉浸在宽敞的氛围里。
现简主义是一种原始的纯粹美感，真实、自由，没有任何繁冗的累赘。

The feeling of freedom comes from the deep heart. Staying in the perfect space, all the emotions flying the imagination kingdom.
Simplicity has an original and mysterious beauty, which is true and free, without any decorations.





Remus
雷穆斯 · 衣柜门

STRONG PRODUCT ABILITY

雄厚生产实力 ■

德米特高清装饰板采用国外底纸衬底，进口彩重镭面，800°纳米高清钢板压制，高端双色（同色）封边

适用范围
家居橱柜、展示厨柜、浴室柜、门窗饰面、车船衬体、
室内装饰（吸音板、挂墙板、天花板）等饰面。

表面色彩
德米特高清装饰板参考世界各种流行花色满足各种不同
装饰需求（现有，新实用主义素色闪银，柠式花纹，北
美木纹，北欧石纹，中式布纹，东南亚竹纹）提供专业
定制，调色相纹度最高可达 98%。

"Good faith to believe wholeheartedly," is our basic character and Zhihua high commitment, integrity and service to guide people Zhihua, Action Statement sincere dedication and service standards, but also an effective way to achieve our vision.

Service Strategy
Customer-centric, customer focus and experience, service differentiation strategy implementation services.
Comprehensively promote customer satisfaction projects, to create the most domestic reputation of the service brand.
To provide customers with convenient, professional services
Provide the market with timely, reliable service
Provide enterprises with comprehensive and accurate information on market quality

常用规格：
1220mm × 2400mm　厚度：0.6mm~18mm

实用性质
德米特高清装饰板可覆合夹板、细木工板、密度板、刨
花板、蜂窝板、水泥板、硅酸钙板、蜂窝板、钢板、铝板、
木塑板、PVC 发泡板等。打钉、钻孔、艺术雕刻等不
受任何平面基材限制；可采用白乳胶或万能胶利用冷压
工艺压片，最好采用 PUR 平贴技术，用 PUR 平贴机
和 PUR 热熔胶涂刮流成，达到不分层，不起泡，不断边，
耐水煮，做到最为（取达到和合力和防水性及强）。

Common specifications：
1220mm × 2400mm Thickness：0.6mm~18mm

Practical nature
Demister HD decorative panels can be laminated plywood , block board , MDF, particleboard , beryllium, magnesium board, cement board, calcium-silicate board , honeycomb panels, steel, aluminum , plastic board , PVC foam board. Injections, drilling, engraving and other artistic plane substrate without any restrictions ; white latex or adhesive can be use cold compression technology , the best use of PUR flat against technology , flat with PUR-PUR hot melt adhesive stick machine and roll stickers made . Reach non-layered, non-foaming , no chipping resistance, boiled , saving time and effort (to achieve adhesion and water resistance, and strong) .

INDEPENDENT RESEARCH AND DEVELOPMENT

自主产品研发 ■

设计 · 灵感 ■
Design inspiration

长久的守候固然能换来精致的品质，但灵感蕴现的一瞬，却是变更已有的珍贵内涵所在，灵感所表现的创意使平凡革命成潮流。

Long waiting of course to return for fine quality, but the inspiration for the emergence of Yisha, but it is where the change has been precious connotation, creative inspiration demonstrated a 'trend to make an extraordinary revolution.

潮流 · 风向 ■
Wind trend

繁花似锦的相同早已疲劳审美的定义，在一样中加点惊性，销售出未来的方向，从此改变走向，为诚挚的感动而欢呼，带领这时代的前沿。

Fatigue has long defined the same aesthetic flowery, add a little in the same understanding, insight the future direction, forever changed direction, moving as sincere and cheer, leading the forefront of the times.

人性 · 关怀 ■
Humanity Care

设计的优秀远远不停止与那臻美的外貌，更拥有为人类丝丝缕缕入微的人性化使用改进。

Design does not stop with that much-excellent Pegasus appearance, but with the uses of human improvements slightest nuanced humanity.

迷人 · 印象 ■
Charming impression

无修饰的轮廓精美，像那最美之境，无论身于何方，身旁一切都已成布景。

No modification of the contour exquisite, like the most beautiful environment, no matter to where, beside all but a foregone scenery.